



**CHOOSE**  
to be **SAFE**



WOMEN'S AID ORGANISATION  
PERTUBUHAN PERTOLONGAN WANITA



BRITISH LION BRAND  
CONDOMS AND DIAPHRAGMS  
MADE IN ENGLAND

**Women's Aid Organisation**  
**First Edition 2008**

ISBN: 978-983-40325-4-8

Published by:

Women's Aid Organisation

P. O Box 493, Jalan Sultan, 46760 Petaling Jaya, Selangor, Malaysia

Tel: 603 79575636

Fax: 603 79563237

Counselling Line: 603 79563488

E-mail: [wao@pojaring.my](mailto:wao@pojaring.my)

Website: [www.wao.org.my](http://www.wao.org.my)

Special thanks to the Embassy of Finland, Kuala Lumpur who generously funded this project and in particular our gratitude to Mr. Jaakko Lehtovirta for his support.

WAO acknowledges the following individuals and organisations:

- Sister Radhi Devi, Klinik LPPKN Shah Alam
- Staff Nurse Senelia, Klinik Nur Sejahtera, LPPKN Kuala Lumpur
- Dr. Razila Farra bt. Razali
- Dr. Roshan
- Dr. S. P. Choong, Reproductive Rights Advocacy Alliance Malaysia
- Ms. Chin Oy Sim, Reproductive Rights Advocacy Alliance Malaysia
- Asian-Pacific Resource & Research Centre for Women (ARROW)
- Federation of Family Planning Associations, Malaysia (FFPAM)

We extend our thanks to Love Box and SSL Healthcare Malaysia Sdn Bhd for their contribution of condoms.

Finally, we convey a special acknowledgement to the women in WAO who had shared with us their personal experiences during the focus-group discussions.

Researched and Written by Rozana Isa

Graphics by Farida Cheryl Faizal

Layout & Design by Michael Voon

Coordinated, conceptualised and edited by Ivy Josiah

Key Contributions from Shoba Aiyar, Jessie Ang, Nazlina Abdul Ghani, Wong Su Zane,

Siti Salina Shamsudin, Normah Mohd. Nor and Jac sm Kee

Readers: Vizla Kumaresan and Meera Samanther

# CHOOSE to be SAFE

## CONTENTS



INTRODUCTION	1
OWN YOUR BODY	2
LOVE YOUR BODY	3
ENJOY YOUR BODY	4
KNOW YOUR BODY	5
Get to know your sexual and reproductive organs	5
What happens when you have sex?	6
QUESTIONS BEFORE YOU CHOOSE	7
Do I want children?	7
Do I want to be a parent?	7
I want to have children but how many and how far apart?	7
How do I know which family planning method is suitable for me?	8
Who can I talk to if I want to know more?	8
CAUTION!	9
Sexually Transmitted Infections and HIV/AIDS	9
FAMILY PLANNING METHODS	11
The Pill	11
Injections	12
Implants	13
IUD (Intrauterine Device)	14
Condoms	15
Female Condoms	16
Diaphragm or Cervical Cap, with Spermicide	17
Natural Methods	18
Rhythm (Calendar) Method	18
Vaginal Discharge Method	20
Basal Body Temperature (BBT) Method	21
Surgical Methods	22
Vasectomy (Male Sterilisation)	22
Bilateral Tubal Ligation (Female Sterilisation)	23
Emergency Contraceptives (Post-coital Method)	24
Abortion	25
Abstinence	26
For More Information	27
References	35

## Introduction

**CHOOSE TO BE SAFE** is written to give factual information on family planning choices in the context of women's realities, especially a reality such as domestic violence.

Women who seek shelter from WAO have different levels of awareness and knowledge about family planning. But even with knowledge and information, being in a domestic violence situation makes it harder for women to exercise their choice of family planning.

Domestic violence occurs because of the dynamics of power relations between two people in a relationship whereby one party is regarded to be more powerful than the other. It is not a relationship of two equals. Most women in domestic violence situations have very little say (or negotiating power) when it comes to sexual relations, and many are forced to have sexual relations after being abused by their husbands or partners. When this happens, sex is most likely to be unprotected and would result in pregnancy that is unplanned. Not only that, there are also incidences where the wife or girlfriend then suffers from a sexually transmitted infection or even HIV/AIDS as a result of forced, unprotected sex.

At the national level there are a large number of women in Malaysia who are unaware of their sexual and reproductive rights. In 1994, 54% of married women used contraceptives. This figure dropped to 51% in 2004 and only 33% used modern methods like the pill, IUD and condoms. Comparatively, contraceptive use rate is between 70% - 80% among married women in Thailand, Vietnam and China.<sup>1</sup>

As part of WAO's services to women, the social workers continue to engage in raising awareness of their clients on the rights of women, including the right to be free from violence and rights within a marriage. Critical to this discussion is also the issue of family planning.

It is through the work of the social workers together with their clients that this Choose To Be Safe kit is conceptualised.

Rather than just text, this booklet also provides visual examples of the various family planning methods. This makes the book a comprehensive reference to the women who will use them, namely:

- Social workers who work with women, in particular domestic violence survivors,
- Women who come to WAO for shelter, ex-residents of WAO and women who come for face-to-face counselling,
- Organisations that provide counselling and shelter services to women. -

**CHOOSE TO BE SAFE** reinforces the principle that every woman has a right to information and a right to exercise choice.

**Women's Aid Organisation**

<sup>1</sup> Information Brief - Speaking Out On Malaysian Women's Access To Contraception And Abortion Services. Reproductive Rights Advocacy Alliance Malaysia (RRAAM).

## Own your Body

I think my husband is having sex with other women. I wish I had the strength to walk out, but I stay for the sake of my children. He still has sex with me. I feel trapped, and I don't know how to insist he uses a condom. All I know is I don't want to be infected with any disease. I do not want to be pregnant; we can only afford two children.

I was also afraid to talk to my husband about condoms. I also don't want to get pregnant so soon after my third child. You know what I did, I just bought condoms and put them on the bed and said, "Let me help you put them on for you"



My husband says, if you don't want to get pregnant, why don't you just take the birth control pill?

You should tell him birth control pill only protects against pregnancy. The condom protects against both pregnancy and infections and if you care for me and your children, you should care for my health too.



**IN 2007, 745 women contracted HIV, 193 women were diagnosed with AIDS and another 131 women died from it. Most of these women contracted this disease from their husbands. Condom use is an easy and cheap method to protect oneself. You have a right to protect and look after your health and well being.**

## Love your Body

I hate my breasts, they are so flat, and my hips they are far too big. My husband and even my children are always teasing me about my fat...

You know what they say? "Don't jump up and down, you could cause an earthquake!"

You are healthy, your body is amazing. It produced babies, you are smart and you are a wonderful friend.





Hey, isn't your husband kind of big too? He has a big belly and he is balding too kan? And yet you love him and accept him the way he is.

Yes, I do deserve better treatment. I am going to love my body, inside and out even if others don't.



**WHEN we respect and love ourselves first, others will then respect and love us too for the person we are, no matter what or how we look. It is okay to get fitter, trimmer and stronger if you wish. But do it because you love your body, not because you hate it.**

## Enjoy your Body




**A SATISFYING and safe sex life is a woman's right and it involves making decisions within one's own personal beliefs. If we have not thoroughly explored our sexuality through masturbation, we won't know what makes us feel good but instead feel frustrated and disappointed after each sexual experience.**

## Know your Body

### Get to know your sexual and reproductive organs

WE ALL have touched ourselves "down there" at some point whether to clean ourselves or to masturbate but do we know what "down there" looks like and what they are? Feel free to look and explore, after all it is your body. All that is needed is a hand held mirror and plenty of light. You can sit, squat or bend over, adjusting the mirror accordingly so that you can see your sexual organs clearly.





## What happens when you have sex?

SOME PARTS of the body are more sensitive to sexual stimulation than others. The lips, breast, the skin, the base of the neck, the inner thighs can be sensitive to kisses and touch and make us relax and feel pleasure.


Sexual pleasure can bring us to a peak where we experience orgasm or climax. Stimulation of the vagina and clitoris, whether it is with the penis, fingers or tongue can bring a woman to orgasm. It is a pleasurable feeling like a release of muscular tension which comes in gentle waves or sudden contractions, and starts at the vagina or clitoris and ripples all over the body. The vagina may feel more wet and moist than usual after orgasm.

Experiencing pleasure and getting an orgasm does not depend on having a perfect body. It is more about how we think and feel, rather than how we look.

During sex, the penis is inserted into the vagina. When a man reaches orgasm, he releases **semen** and in this semen there are millions of **sperm**. The sperm can live for up to 48 hours.

Pregnancy happens when sex takes place during the time when a woman is **ovulating** (when the **ovaries** release the egg or **ovum**). Ovulation takes place once a month and the ovum can live for up to 24 hours. The sperm travels up the **uterus** and into the **Fallopian tubes** to meet with the ovum and penetrate it. Out of millions of sperms released, only one sperm will succeed. This is known as **fertilisation**. When the egg is fertilised, it will travel along the Fallopian tubes and implant itself on the lining of the uterus. The lining of the uterus provides the environment for the fertilised egg to grow. The woman has conceived, she is pregnant.

If the ovum is not fertilised, the lining of uterus will shed after a certain time and this is when a woman experiences her menses also known as period.



## Questions Before you Choose

### Do I want children?

**WOMEN CAN** choose and plan their reproductive life by deciding whether they want to have a child or children, when it is time to have children, how many children would they like to have.

Having children brings many changes and demands, not just physically, but also emotionally, psychologically, socially and financially. It is important that you talk to your husband about the number of children you both want to have.

### Do I want to be a parent?

**BOTH PARENTS** should share the responsibility and enjoyable experience in raising their children. The reality is most women work outside of the home and after a hard day's work women are still expected to do housework, cook for the family and attend to the needs of the children even when tired.

Many women face this double burden as most husbands often do not pitch in to help with the household chores. Many of them also leave the upbringing of the children to their wives.

As women are occupied attending to the physical needs of the children, they are unable to spend further time to nurture the other aspects of their children's spiritual, educational, psychological and emotional development.

You should expect the father of your children to help raise the children and help in household chores so that you will have more rest and more quality time with the children and the family as a whole.

### I want to have children but how many and how far apart?

IT IS NOT ENOUGH to decide whether or not to have children, it is also important to decide how many children to have and the age gap between them.

Getting pregnant again soon after birth may result in the mother not having enough time to gain back her nutritional reserves. It would be advisable for the mother to have a gap of not less than 18 months between pregnancies. If a mother who is breast-feeding gets pregnant, she requires more nutrition for the pregnancy as well as for the child whom she is breast-feeding.

Without enough nutrition, the growth and health of the next baby may be affected.

What is most important is the overall health of the mother. It is important that mothers get regular health check ups before getting pregnant and during the pregnancy. It is equally important that fathers accompany the mothers to the doctor and to be involved in every stage of her pregnancy.

## How do I know which family planning method is suitable for me?

SOME QUESTIONS to consider:

- Do I want a permanent or temporary method of family planning?
- Do I want children now or later?
- Do I want a method to be taken orally or to be inserted into the vagina or body?
- Do I want a method to be taken every day? Every time before sex? Inserted once only for 3-5 years?
- How easy is it for me to get it? Is it affordable?
- Does it protect me from sexually transmitted infections (STIs) and HIV/AIDS?

**Permanent method** will give you the comfort and assurance that you will not get pregnant from sexual intercourse but it will not protect you from sexually transmitted infections or HIV/AIDS.

**Temporary method** means that once you start on a method, but later decide to get pregnant, you can remove or stop taking the family planning method in order to conceive.

## Who can I talk to if I want to know more?

MAKE AN APPOINTMENT for a consultation with a staff nurse at the Federation of Family Planning Associations, Malaysia (FFPAM) or the National Population and Family Development Board (LLPKN).

You can consult a doctor or a nurse at government hospitals and private clinics.

You can also talk to other women who are willing to share their experiences with you on the methods that they use.

Discuss with your partner about the choices that both of you have and see what methods either one or both of you can practice.

*"The right to make free and responsible reproductive choices encompasses the right to decide whether or not to have children, the number and spacing of children, and the right to full access to the means of fertility regulation".*

World Association for Sexual Health

## Caution!

### Sexually Transmitted Infections and HIV/AIDS

#### Sexually Transmitted Infections (STIs)

- Sexually Transmitted Infections are infections that are passed on from one person to another through sexual activity.
- This includes vaginal intercourse, oral sex and anal sex.
- Infections that are transmitted include Herpes, Chlamydia, Syphilis, Gonorrhoea, and many others.
- Some infections can be treated by a course of antibiotics.
- Some infections such as herpes has no known cure. However, there are other medication available that will cause the infection to occur less frequently and to be less harmful.
- Symptoms of STIs include itching around the vagina, anal or mouth area, painful burning sensation when urinating, cloudy or yellowish or greenish discharge, smelly discharge, bumps or sores around the vagina, anal or mouth area.
- If you experience any one or more of the above symptoms, go to a doctor immediately for a check-up and to get medication for the infection.
- It is highly recommended that if you are having an infection
  - 1) to abstain from any sexual activity until you have completed your course of medication or,
  - 2) practise safe sex by using a condom.

## HIV/AIDS

### HIV

- HIV stands for Human Immunodeficiency Virus.
- It is a virus that infects humans, just like any other virus such as flu, measles, SARS etc.
- The HIV virus attacks the immune system, making our body unprotected to other infections. The virus is transmitted through:
  - 1) Unprotected, vaginal or anal sex with an infected person
  - 2) When there is an exchange of infected blood through:
    - a) Sharing of needles or syringes
    - b) Blood transfusion
    - c) Organ transplant
  - 3) Mother to child transmission during pregnancy, delivery or breast-feeding

### AIDS

- AIDS stands for Acquired Immunodeficiency Syndrome, which is a group of illnesses that occur in HIV-positive people as a result of a weakened immune system.
- AIDS is caused by the HIV virus.
- A person gets AIDS when he/she can no longer fight off infections that the body normally does if his or her immune system, is healthy.
- There is so far, no cure for AIDS.
- It is hard to tell if a person is infected with the HIV virus. The only way to know for sure is to go to a doctor and request to take an HIV test.
- A person who is tested with the HIV virus (HIV-positive) does not necessarily have AIDS.
- With medication, a HIV-positive person can go on living a healthy life for a very long time.
- He or she can still have a normal and active sex life but it is important to practice safe sex so that his or her partner is not infected with the virus.

## Family Planning Methods

What is it?  
 How does it work?  
 Where do I get it?  
 How much does it cost?

### The Pill

- Contains hormones that stops the woman's ovaries from releasing eggs so she cannot become pregnant.
- Taken orally at the same time everyday.

IF YOU MISS taking the Pill even once or take it everyday but at different times, the Pill will not work and you may get pregnant.

If taking other medications or antibiotics, extra care must be taken, as the Pill may not work as effectively. Check with the doctor or use another family planning method such as a condom for extra protection.

- Available at government hospitals, LPPKN clinics, Family Planning Associations, private hospitals and clinics, and pharmacies.
- A month's supply can cost between RM 9 – RM 50 per month, depending on the type of pill you take.



## Injections

- Contains hormones that will cause a woman's white discharge (cervical mucus) to become thicker than usual. This prevents the sperm from entering the uterus.
- The hormones also stop the ovaries from releasing the eggs and cause changes in the uterus and Fallopian tubes, which stops fertilisation.
- Available at government hospitals or private clinics.
- In the beginning, 2 injections are required in a month followed by an injection once every 3 months. Each injection costs around RM45 or more.



## Implants

- Little capsules (about 4 – 5 cm in length) inserted in the inner side of a woman's upper left arm.
- These capsules release hormones into her body that will stop her from getting pregnant, just like the Pill and the injection.
- Available at both government hospitals and private clinics. The cost of the implant start from RM450 or more and depending on the number of implants inserted, it can last from between 3–5 years.

THERE MAY BE side effects such as nausea, headaches, water retention, weight gain, tender breasts or irregular bleeding. Consult a doctor to know which type of family planning method is the most suitable for you and your health condition. If you experience discomfort or notice an unusual change, see a doctor immediately.





## IUD (Intrauterine Device)

- Normally made from plastic or copper that is wound around the plastic. The IUD is inserted into the uterus of a woman and it prevents the sperm and the egg from joining.
- There are different types of IUD available so the replacement period is different from one IUD type to another. Some needs to be replaced every year, whereas some can be replaced after 4 years or more.
- The IUD is available at Government hospitals, private clinics as well as the National Population and Family Development Board Clinic (LPPKN Clinic) (see pg. 30-34 for list of clinics).
- The cost of the IUD starts from RM90 – RM120 at private clinics and hospitals. At the LPPKN Clinic they cost only RM 5.



## Condoms

THE MALE AND FEMALE condoms are made from latex (rubber) like a cylinder. They prevent the sperm from entering the vagina. Aside from preventing pregnancy, condoms also prevent the transmission of sexually transmitted infections and HIV/AIDS.

Condoms have expiry dates so do check the packet or box before using them. Condoms should be kept away from sunlight and heat (even your jeans pocket!) because these will cause the condoms to spoil and decay.

- The male condom is rolled on to an erect penis **before** the penis is inserted into the vagina. After ejaculation, the sperm is trapped inside the air pocket at the tip of the penis. The condom must be removed immediately to prevent any leaks. Each condom can only be used once.
- For a more comfortable experience, use only water-based lubricants (e.g.: KY Jelly) otherwise the condom may tear.
- Available in a packet (RM 1.20 and above each) or in a box of 6 or 12, at pharmacies, supermarkets, 24-hour convenience stores and Family Planning Associations.



## Female Condoms

- The female condom is like a male condom but it has a ring at each end.
- It is inserted into the vagina before the penis is inserted into the vagina.
- One end is closed to prevent the sperm from entering the vagina. This end is inserted into the vagina first. The other end is open for the penis.
- Practice is required to get used to them.
- At the moment, female condoms are not readily available for sale in Malaysia.



## Diaphragm or Cervical Cap, with Spermicide

- The cervical cap is like the diaphragm, only smaller.
- Made from soft rubber and shaped like a dome. Must be used with spermicide, a gel that kills the sperm.
- Inserted into the vagina and covers the opening of the cervix. Prevents pregnancy by blocking the sperm from entering into the uterus.
- Can be inserted a few hours before having sex and removed a few hours after that.
- The male spouse or partner would not know that the diaphragm or cervical cap is being used.
- The use of the diaphragm and cervical cap is no longer very popular in Malaysia because women have to insert it themselves, so it is not very easily available.
- If this method sounds comfortable, speak to a doctor on how to obtain one. The size of a woman's cervix is different from one woman to another. A doctor has to measure the size of the cervix to ensure that the diaphragm or cervical cap is of the right size. It has to fit well and properly inserted into the vagina.



## Natural Methods

**NORMALLY USED** when women are trying for a baby rather than to prevent pregnancy.

Involves monitoring the menstrual cycle to estimate the time a woman is ovulating or is fertile.

The risk of getting pregnant using the natural methods is very high.

Does not provide protection against sexually transmitted infections (STIs) or HIV/AIDS.

As a precaution, it is best used with another family planning method.

These methods also depend on the cooperation of the partner or spouse who would be willing to engage in sex only on days when the woman is certain that she is not ovulating or fertile.

## Rhythm (Calendar) Method

- Record on a calendar, your menstrual cycle for 8 – 12 months continuously.
- For example, Anisa got her period on 15 April. This is recorded as Day 1. 16 April is recorded as Day 2, 17 April as Day 3, and so on.
- The next month, she gets her period on 13 May. She starts all over by recording this as Day 1.
- The length of the menstrual cycle from 15 April to 12 May is 28 days. This is done again for the next month until there are 8 or more, menstrual cycles recorded.

For Anisa, her menstrual cycle was recorded as follows:

Month	Length of Menstrual Cycle
April	30 days
May	28 days
June	32 days (longest cycle)
July	29 days
August	27 days
September	30 days
October	25 days (shortest cycle)
November	28 days
December	31 days

- The longest and shortest cycles are used to estimate the time that Anisa is fertile. The calculation to know which days are the fertile period is according to the following formula:

For the first fertile day, minus 18 from the length of the shortest cycle.  
 For the last fertile day, minus 11 from the length of the longest cycle.

- In the case of Anisa, her shortest cycle is 25 days.  
 $25 - 18 = 7$ . So, Day 7 is the first fertile day.
- The longest cycle is 32 days.  
 $32 - 11 = 21$ . Day 21 is the last fertile day

- The fertile period is from Day 7 until Day 21. Anisa should abstain from sex during this period in order to prevent from getting pregnant.
- This method needs to be continuously monitored to re-calculate the estimated fertile period. Only the readings of the most recent 8-12 month menstrual cycles should be used.



## Vaginal Discharge Method

- The vaginal discharge is secreted from the vagina and feels slippery or sticky.
- It is sometimes colourless and clear or light yellow.

### Vaginal Discharge during menstruation

- During menstruation, the menstrual discharge will mask the vaginal discharge.
- Fertility during menstruation is not common but there is a very small chance that a woman can be fertile during this time. Extra care during sex (such as using a condom) is advised as protection from getting pregnant.

### Vaginal Discharge after menstruation

- After menses, there are several days of dryness (no discharge).
- During this time before ovulation, the dry days are considered safe for sex.

### Vaginal Discharge during ovulation

- During ovulation, the cervical mucus is wet and slippery, like egg white. This is a sign that a woman is fertile. Ovulation takes place in the 2 days before and 3 days after when the mucus is wet and slippery.
- Unless planning to get pregnant, it is highly recommended that sex is postponed or another form of family planning is used until the ovulation period is over.

### Vaginal Discharge after ovulation

- After ovulation, the mucus changes to a thicker, stickier discharge or she feels dryness again.



## Basal Body Temperature (BBT) Method

- A body basal thermometer (an easy-to-read thermometer which measures in tenths of a degree) is used to estimate the fertility period by observing the change in body temperature.
- The temperature is taken every morning immediately upon waking up and before doing any activity. The temperature is then recorded and monitored on a graph paper.
- During ovulation or fertility period, the body temperature falls slightly. The temperature will rise again after ovulation and when it stays high for 3 days in a row, the fertile period is over.
- Similar to the rhythm (calendar) method, a woman should keep a chart for a period of 8-12 months to learn the approximate time in the cycle when she usually ovulates.






## Surgical Methods

THESE METHODS are permanent and cannot be reversed or undone. Because of this, the procedures are carried out if the man or woman is above 40 years of age (or have completed their reproductive cycle). Below that, they will be required to go for counselling first before going ahead with the procedure.

The methods involve microsurgery as they are done on tubes that are very narrow and small.


### Vasectomy (Male Sterilisation)

- A vasectomy is a surgical procedure for men to prevent the sperm from being included in the semen.
- A small surgical cut is made on the scrotum and the vas deferens tubes are tied and cut. This prevents the sperm from getting into the semen.
- The procedure is a minor operation and does not require hospitalisation.
- Counselling and affordable vasectomy services are offered by the National Population and Family Development Board (LPPKN) headquarters in Jalan Raja Laut, Kuala Lumpur. The fee for vasectomy is RM100.
- Also available at private hospitals.



## Bilateral Tubal Ligation (Female Sterilisation)

- A tubal ligation is a surgical procedure for women to prevent the sperm from meeting and fertilising the ovum.
- A small surgical cut is made in the abdomen to gain access to the woman's Fallopian tubes. The tubes are then cut, tied or clipped.
- The procedure may require hospitalisation.
- The National Population and Family Development Board (LPPKN) only provide counselling services and would refer the couple to a government hospital for the operation. The fee for the surgery at a government hospital would not be more than RM100.
- Also available at private hospitals.



## Emergency Contraceptives (Post-coital Method)

### The morning-after pill

- Despite precautions taken, accidents can happen.
- For example, a condom may accidentally break after the man has ejaculated. This puts the woman at risk as she is no longer protected from getting pregnant.
- It is possible for her to take an emergency contraception to avoid getting pregnant such as the morning-after pill (Postinor). The pill contains high levels of hormones, which prevents the fertilised egg from implanting itself to the uterus.
- There are 2 pills; the first must be taken within 72 hours of unprotected sex. The second pill must be taken 12 hours after taking the first pill.
- Not as effective as birth control that is used before or during sex, like the pill or condoms.
- The pills are available at pharmacies at RM3.50
- Aside from failed family planning methods, a woman can use this if she didn't use contraception, or if she was forced to have sex.
- Consultation with a doctor is advised.



## Abortion

- Pregnancy that is unwanted put a woman in a dilemma because she is not sure what she should do and what she can do.
- A woman may resort to myths that eating certain food, such as pineapple, or taking certain traditional herbs, will remove the embryo or foetus. These methods may only result in falsely raising hopes that she will no longer be pregnant and that her problem is solved.
- However, the pregnancy may still continue and by the time she sees a doctor, it may be too late to do anything about it.
- An abortion (or termination of pregnancy) is a legal procedure. If a qualified doctor, in consultation with the woman, decides that the pregnancy is likely to injure her physical and mental health based on her individual circumstances, such an abortion is legal.
- An abortion may be done safely either:
  - as a 5-10 minute surgical procedure or
  - by taking medication.
- Taking the medication may take 1-2 weeks to complete and has a slightly higher failure rate and surgery may be required later.
- An abortion should preferably be done within the first 3 months of the pregnancy. Abortion is an irreversible procedure with minimal risks. It is also important that the surgical procedure is done in a clinic that is clean and safe.
- Counselling services before abortion is a choice a woman can make. If she is absolutely sure she wants to have an abortion, there is no need for counselling.
- FFPAM and the Reproductive Rights Advocacy Alliance Malaysia (RRAAM) provide pre-abortion and post-abortion counselling. RRAAM also has contacts for abortion providers (see page 27 for contact details).
- An abortion can cost from RM300 and above, depending on pregnancy size.



## Abstinence

- Abstinence is not having sex or engaging in any form of sexual activity that would lead to sex.
- There is no risk of getting pregnant or getting a sexually transmitted infection or HIV/AIDS.
- Can be practised by anyone, even if he or she has already had sex before. It doesn't cost anything and there are no side effects.



## For More Information

### NON-GOVERNMENTAL ORGANISATIONS

#### **Women's Aid Organisation (WAO)**

Pertubuhan Pertolongan Wanita  
P.O. Box 493 Jalan Sultan  
46760 Petaling Jaya  
Selangor  
Tel: 03-7956 3488  
Fax: 03-7956 3237  
Email: wao@po.jaring.my  
Website: www.wao.org.my

#### **All Women's Action Society (AWAM)**

85, Jalan 21/1, Sea Park  
46300 Petaling Jaya  
Selangor  
Tel: 03-7877 4221  
Fax: 03-7874 3312  
Telenita (counselling line): 03 7877-0224  
Email: awam@awam.org.my  
Website: www.awam.org.my

#### **Malaysian AIDS Council (MAC)**

No. 12, The Boulevard Shop Office  
Jalan 13/48A, Off Jalan Sentul  
51000 Kuala Lumpur  
Tel: 03-4045 1033  
Fax: 03-4042-6133  
E-mail: contactus@mac.org.my  
Website: www.mac.org.my

#### **Reproductive Rights Advocacy Alliance Malaysia (RRAAM)**

c/o **ARROW**  
No. 80 & 82 3rd Floor,  
Jalan Tun Sambanthan  
Brickfields  
50470 Kuala Lumpur  
Tel: 012-477 2551  
Fax: 04-656 8511  
E-mail: raamalaysia@yahoo.com  
Website: www.womenonwaves.org

#### **Sisters in Islam (SIS)**

No. 7, Jalan 6/10  
46000 Petaling Jaya  
Selangor  
Tel: 03-7785 6121/ 7784 2733/ 7784 4357  
Fax: 03-7785 8737  
Email: sistersinislam@pd.jaring.my  
Website: www.sistersinislam.org.my

#### **Women's Centre for Change Penang (WCC)**

24-D Jalan Jones,  
10250 Penang  
Tel: 04-228 0342  
Fax: 04-228 5784  
E-mail: wcc@wccpenang.org  
Website: www.wccpenang.org

**FEDERATION OF FAMILY PLANNING ASSOCIATIONS, MALAYSIA (FFPAM)  
(PERSEKUTUAN PERSATUAN-PERSATUAN PERANCANGAN KELUARGA, MALAYSIA)**

**FFPAM Headquarters**  
81 B, Jalan SS 15/5A,  
47500 Subang Jaya,  
Selangor  
Tel: 03-5633 7514/ 7516/ 7528  
Fax: 03-5634 6638  
E-mail: ffpam@ffpam.org.my  
Website: www.ffpam.org.my

**Selangor & Wilayah Persekutuan  
Family Planning Association**  
2B Lorong Syed Putra Kiri  
P.O. Box 10710  
50722 Kuala Lumpur  
Tel: 03-2274 3489 / 2272 5817  
Fax: 03-2273 8901  
E-mail: fpaswp@streamyx.com

**Johor Family Planning Association**  
10-A Jalan Ablad Satu  
Taman Pelangi  
80400 Johor Bahru  
Tel/Fax: 07-333 7772  
E-mail: jfpa1234@tm.net.my

**Kedah Family Planning Association**  
2, Jalan Kampong Baru  
05000 Alor Setar  
Tel/Fax: 04-732 1280  
E-mail: kedahfpa@streamyx.com

**Kelantan Family Planning  
Association**  
4261-F, Jalan Kebun Sultan  
15350 Kota Bharu  
Tel/Fax: 09-743 2407  
E-mail: ktpa@streamyx.com

**Melaka Family Planning Association**  
Dewan Hang Tuah  
Jalan Hang Tuah  
P.O. Box 270  
75750 Melaka  
Tel: 06-284 4475  
Fax: 06-281 3969  
E-mail: fpamel@po.jaring.my

**Negeri Sembilan Family Planning  
Association**  
No. 3, Jalan Dr. Krishnan  
70000 Seremban  
Tel: 06-762 2969  
Fax: 06-763 5778  
E-mail: ppkns@tm.net.my

**Pahang Family Planning Association**  
B-1582 Tingkat Atas  
Jalan Besarah  
25300 Kuantan  
Tel: 09-566 6403  
Fax: 09-566 8707  
E-mail: phgfp@streamyx.com

**Penang Family Planning  
Association**  
333 Jalan Perak  
11600 George Town  
Penang  
Tel: 04-282 5191  
Fax: 04-281 9380  
E-mail: fpapg@streamyx.com

**Perak Family Health Association**

No. 60A, Regat Sri Cempaka  
Taman Cempaka  
31400 Ipoh  
Tel: 05-547 7849  
Fax: 05-546 7633  
E-mail: [ppkp681@streamyx.com](mailto:ppkp681@streamyx.com)

**Perlis Family Planning Association**

140 Persiaran Jubli Emas  
01000 Kangar  
Tel/Fax: 04-976 0739

**Sabah Family Planning Association**

Council of Management  
613 Jalan Family Planning Centre  
off Jalan Kebajikan  
88000 Kota Kinabalu  
Tel: 088-245 209  
Fax: 088-210 813  
E-mail: [sfpa@tm.net.my](mailto:sfpa@tm.net.my)

**Sarawak Family Planning Association**

Jalan P Ramlee  
P.O. Box 788  
93716 Kuching  
Tel: 082-426 982 / 244 629  
Fax: 082-418 981  
E-mail: [sfpaswk@streamyx.com](mailto:sfpaswk@streamyx.com)

**Terengganu Family Planning Association**

12G Jalan Engku Pengiran Anom 2  
20300 Kuala Terengganu  
Tel: 09-622 1763  
Fax: 09-624 8071  
E-mail: [fpatrg@tm.net.my](mailto:fpatrg@tm.net.my)



**NATIONAL POPULATION AND FAMILY DEVELOPMENT BOARD (NPFDB)**  
**(LEMBAGA PENDUDUK DAN PEMBANGUNAN KELUARGA NEGARA, MALAYSIA - LPPKN)**

**SELANGOR**

**Klinik LPPKN Shah Alam**  
 Jalan Sempadan 16/7  
 Peti Surat 7080  
 40702 Shah Alam  
 Tel: 03-5510 1231

**Klinik LPPKN Kelang**  
 54, Leboh Tapah  
 Jalan Gih Hock Huat  
 41400 Kelang  
 Tel: 03-3342 2546

**Klinik LPPKN Batu Caves**  
 No.8, Jalan 2A/2B  
 Taman Desa Bakti  
 68100 Batu Caves  
 Tel: 03-6138 0601

**Klinik LPPKN Pelabuhan Kelang**  
 No.19A, Jalan Chungah  
 42000 Pelabuhan Kelang  
 Tel: 03-3368 8114

**Klinik LPPKN Kajang**  
 d/a Hospital Kajang  
 43000 Kajang  
 Tel: 03-8736 7758

**Klinik LPPKN Ampang**  
 420 Wisma Saudagar  
 Batu 5, Jalan Ampang  
 68000 Ampang  
 Tel: 03-4256 0130

**WILAYAH PERSEKUTUAN**

**Klinik Nur Sejahtera**  
 Bangunan LPPKN  
 12B Jalan Raja Laut  
 50712 Kuala Lumpur  
 Tel: 03-2692 9675

**Klinik LPPKN Kepong**  
 No. 343-A, Jalan 1/33A  
 Batu 7, Jalan Kepong  
 52000 Kepong  
 Tel: 03-6274 9670

**Klinik LPPKN Hospital Universiti**  
 d/a Pusat Perubatan Universiti  
 Malaya  
 59100 Kuala Lumpur  
 Tel: 03-7956 2079

**Klinik LPPKN Jalan Kelang Lama**  
 No.12-2, Jalan Mega Mendung  
 (OUG)  
 Batu 5, Jalan Kelang Lama  
 58200 Kuala Lumpur  
 Tel: 03-7982 7314

**Klinik LPPKN Sungai Besi**  
 No. 40-2, Jalan 7/108C  
 Taman Sg. Besi  
 57100 Kuala Lumpur  
 Tel: 03-7980 8296

## KEDAH

**Klinik LPPKN Alor Setar**  
 Kawasan Hospital Besar  
 Peti Surat 98  
 05710 Alor Setar  
 Tel: 04-731 1471

**Klinik LPPKN Baling**  
 71, Jalan Tuanku Badlishah  
 09100 Baling  
 Tel: 04-421 2900

**Klinik LPPKN Sungai Petani**  
 d/a Hospital Daerah  
 Peti Surat 86  
 08007 Sungai Petani  
 Tel: 04-470 2133

**Klinik LPPKN Kulim**  
 No. 1530, Jalan Hospital  
 09000 Kulim  
 Tel: 04-490 6204

## JOHOR

**Pusat Kepakaran Wilayah LPPKN  
 Johor Bahru**  
 Jalan Dato' Wilson  
 Kawasan Hospital Sultanah Aminah  
 80100 Johor Bahru  
 Tel: 07-223 5232

**Klinik LPPKN Batu Pahat**  
 Lot G14 & G15 (Tingkat Bawah)  
 Plaza Lian Hoe  
 Jalan Mohd Akil  
 83000 Batu Pahat  
 Tel: 07-434 2315

**Klinik LPPKN Batu Kuang**  
 Jalan Hospital  
 86000 Kuang  
 Tel: 07-771 3344

**Klinik LPPKN Kota Tinggi**  
 Jalan Lombong  
 81900 Kota Tinggi  
 Tel: 07-883 1876

**Klinik LPPKN Muar**  
 Jalan Salleh  
 84000 Muar  
 Tel: 07-951 4159

**Klinik LPPKN Pontian**  
 745, Tingkat 1  
 Bgn. Wisma Koperasi  
 Jalan Taib  
 82000 Pontian  
 Tel: 07-687 3696

**Klinik LPPKN Segamat**  
 d/a Hospital Daerah  
 85000 Segamat  
 Tel: 07-931 1003

## KELANTAN

**Klinik LPPKN**  
 No. 10, Tingkat 1  
 Bangunan SEDC  
 Jalan Maju  
 50000 Kota Bahru  
 Tel: 09-744 5634

## MELAKA

**Klinik LPPKN Melaka**  
24A, Lorong Banda Kaba  
75700 Melaka  
Tel: 06-283 9413

## NEGERI SEMBILAN

**Klinik LPPKN**  
Hospital Umum Lama  
Jalan Rasah  
70300 Seremban  
Tel: 06-763 0503

**Klinik LPPKN Jelebu**  
d/a Hospital Daerah  
71600 Jelebu  
Tel: 06-613 7193

**Klinik LPPKN Kuala Pilah**  
Kelab Ulu Muar  
231, Jalan Tuanku Burhanuddin  
72000 Kuala Pilah  
Tel: 481 4518

**Klinik LPPKN Port Dickson**  
d/a Klinik Kesihatan  
71000 Port Dickson  
Tel: 06-647 4544

**Klinik LPPKN Gemas**  
F4, Arked Mara  
Jalan Segamat  
73400 Gemas  
Tel: 07-948 2600

## PAHANG

**Klinik LPPKN Kuantan**  
d/a Kawasan Hospital Ampuan  
Atzan  
Peti Surat 2  
25700 Kuantan  
Tel: 09-513 1082  
Fax: 09-517 1082

**Klinik LPPKN Bentong**  
d/a Hospital Daerah  
28700 Bentong  
Tel/Fax: 09-222 1744

**Klinik LPPKN Raub**  
Jalan Pejabat  
25700 Raub  
Tel/Fax: 09-355 2354

**Klinik LPPKN Temerloh**  
C-324, Jalan Kuantan  
28000 Temerloh  
Tel/Fax: 09-296 1319

**Klinik LPPKN Mentakab**  
38, Jalan Zabidin  
28400 Mentakab  
\*Tel/Fax: 09-277 1488

**Klinik LPPKN Kuala Lipis**  
No. 8, Jalan Bukit Blus  
27200 Kuala Lipis  
Tel/Fax: 09-312 1716

**PERLIS**

**Klinik LPPKN Perlis**

Jalan Hospital (Jalan Abi Tok Hashim)  
 Peti Surat 18, 01700 Kangar  
 Tel: 04-977 0914

**PENANG**

**Klinik LPPKN Jalan Resideni**

d/a Hospital Bersalin  
 Jalan Resideni, Georgetown  
 10450 Penang  
 Tel: 04-228 9840

**Klinik LPPKN Seberang Jaya**

14, Jalan Hala Kalut  
 Seberang Jaya, 13700 Prai  
 Tel: 04-390 4104

**PERAK**

**Klinik LPPKN Tanjung Malim**

No. 20, Taman Bunga Raya  
 35900 Tanjung Malim  
 Tel: 05-459 0082

**Klinik LPPKN Bidor**

Jalan Sungkai  
 35500 Bidor  
 Tel: 05-434 4400

**Klinik LPPKN Sitiawan**

11A, Taman Anson  
 Jalan Raja Omar  
 32000 Sitiawan  
 Tel: 05-691 0030

**Klinik LPPKN Kampar**

No. 9, Jalan Market  
 31900 Kampar  
 Tel: 05-465 1548

**Klinik LPPKN Parit Buntar**

No. 2, Taman Sri Tenggara  
 Jalan Taiping  
 34200 Parit Buntar  
 Tel: 05- 716 1399

**Klinik LPPKN Kuala Kangsar**

No. 31, Jalan Daeng Seelli  
 33000 Kuala Kangsar  
 Tel: 05-776 5833

**Klinik LPPKN Teluk Intan**

Jalan Woo Saik Hong  
 36000 Teluk Intan  
 Tel: 05-622 2004

**Klinik LPPKN Taiping**

30, Kompleks Kota Mula  
 Lorong Long Jaafar  
 Peti Surat 104  
 34008 Taiping  
 Tel: 05-807 2581  
 Fax: 05-808 4772

**Pusat Kepakaran Wilayah,  
 LPPKN Ipoh**

137, Jalan Dato' Onn Jaafar  
 30300 Ipoh  
 Tel: 05-254 1807/ 254 8623

## TERENGGANU

**Klinik LPPKN Kuala Terengganu**  
d/a Hospital Besar  
Peti Surat 58  
20700 Kuala Terengganu  
Tel: 09-625 2305

**Klinik LPPKN Dungun**  
Jalan Besar  
23000 Dungun  
Tel: 09-844 1108

**Klinik LPPKN Besut**  
Lot 257, Tingkat 1  
Jalan Mokmek  
22000 Besut  
Tel: 09-697 2633

## SABAH

**Pejabat LPPKN Negeri Sabah**  
Lot A31 N32, Blok A, Tingkat 4  
Tanjung Aru Plaza  
Jalan Mat Salleh, Tanjung Aru  
88100 Kota Kinabalu  
Tel: 088-261 497  
Fax: 088-252 214

## SARAWAK

**Pejabat LPPKN Negeri Sarawak**  
Lot 387, Sublot 16  
Section 5, Wisma Polarwood  
Jalan Satok  
93400 Kuching  
Tel: 082-411 944  
Fax: 082-241 036

## LABUAN

**Pejabat LPPKN Labuan**  
Lot 8, 9 dan 10, Tingkat 4  
Wisma Wong Wo Lo  
Jalan Tun Mustapha  
87000 Wilayah Persekutuan Labuan  
Tel: 087-418 717  
Fax: 087-418 716

## References

*Information Brief - Speaking Out On Malaysian Women's Access To Contraception And Abortion Services.* Reproductive Rights Advocacy Alliance Malaysia

*Quick Reference Chart on Family Planning Options.* World Health Organization, Regional Office for the Western Pacific, Manila

*The Pill.* Federation of Family Planning Associations, Malaysia

*The Rhythm Method.* Federation of Family Planning Associations, Malaysia

Hyman, Jane W., and Rome, Esther R., in cooperation with the Boston Women's Health Book Collective. *Sacrificing Ourselves For Love: Why Women Compromise Health And Self-Esteem... And How To Stop.* California: The Crossing Press, 1996

The Boston Women's Health Book Collective. *The New Our Bodies, Ourselves.* New York: Simon & Schuster Inc., 1992

<http://www.fpam.org.my> Federation of Family Planning Associations, Malaysia

<http://www.lppkn.gov.my> National Population and Family Development Board

<http://www.femalehealth.com> The Female Health Company

<http://www.thewellproject.org> The Well Project

<http://www.fwhc.org> Feminist Women's Health Center

▼